ELSEVIER

Inorganica Chimica Acta 246 (1996) v–xiii

Inorganica Chimica Acta

Contents

Synthesis, structure and complexing capabilities of *N,N′, N″,N‴*-tetrakis(3-hydroxypropyl)cyclam
P.J. Davies, M.R. Taylor, K.P. Wainwright (Adelaide, Australia), P. Harriott (Belfast, UK), P.A. Duckworth (Brisbane, Australia) 1



Single-stranded nucleic acids as templates for porphyrin assembly formation
R.F. Pasternack (Swarthmore, PA, USA), S. Gurrieri, R. Lauceri, R. Purrello (Catania, Italy) 7



Macrocyclic heterodinuclear NiMn and CuMn complexes: crystal structure and electrochemical behaviour
H. Wada, T. Aono, K.-i. Motoda, M. Ohba, N. Matsumoto, H. Ōkawa (Fukuoka, Japan) 13



The template synthesis and X-ray characterization of pyrrole-derived hexadentate uranyl(VI) Schiff-base macrocyclic complexes
J.L. Sessler (Austin, TX, USA), T.D. Mody (Sunnyvale, CA, USA), M.T. Dulay (Stanford, CA, USA), R. Espinoza, V. Lynch (Austin, TX, USA) 23



Synthesis and complexation studies of mesocyclic and macrocyclic polythioethers. XIV. Crown thioether complexes of palladium(II) and platinum(II)
G.J. Grant, N.J. Spangler (Chattanooga, TN, USA), W.N. Setzer (Huntsville, AL, USA), D.G. VanDerveer (Atlanta, GA, USA), L.F. Mehne (Lookout Mountain, GA, USA) 31



Elsevier Science S.A.

H^+- and CN^--induced dissociation of Ni^{2+}-complexes with tetra-*N*-substituted 1,4,8,11-tetraazacyclotetradecanes
M.R. Oberholzer, L.C. Siegfried, T.A. Kaden (Basel, Switzerland) 41



Complexation properties of polyazaphosphorus macrocycles
A.-M. Caminade, R. Kraemer, J.P. Majoral (Toulouse, France) 47



Macrocyclic dinuclear complexes self-assembled from (en)$Pd(NO_3)_2$ and pyridine-based bridging ligands
M. Fujita, M. Aoyagi, K. Ogura (Chiba, Japan) 53



Study of the reactions of palladium(II) macrocyclic tetraamine complexes with hydroxyl and methyl radicals
J. Lilie (Berlin, Germany), W.L. Waltz, S. Chandrasekhar (Saskatoon, Canada) 59



Nickel(II) complexes of 15-membered tetraaza macrocycles with a primary amine or carboxylate pendant: structural characterization of a one-dimensional chain compound
T.W. Hambley (Sydney, Australia), G.A. Lawrance, M. Maeder, E.N. Wilkes (Callaghan, Australia) 65



μ_2-N pseudohalide as mediator of magnetic exchange in dicobalt(II) complexes
M.G.B. Drew (Reading, UK), C.J. Harding, J. Nelson (Belfast, UK) 73



The mononuclear barium and dinuclear copper(II) complexes of a 24-membered bibracchial tetraimine Schiff base macrocycle derived from tris(2-aminoethyl)amine and 2,5-diformylfuran H. Adams, N.A. Bailey, S.R. Collinson, D.E. Fenton (Sheffield, UK), C.J. Harding (Milton Keynes, UK), S.J. Kitchen (Hull, UK) 81	
Synthesis, crystal structures, and ring size effects on thermodynamic stability of divalent metal complexes of [14]aneN_3O Y.J. Li (College Station, TX, USA), I. Murase (Kumamoto, Japan), J. Reibenspies, A.E. Martell (College Station, TX, USA) 89	
Synthesis and characterization of the yttrium(III) and lutetium(III) complexes of 1,4,7-tris(carbamoylmethyl)-1,4,7-triazacyclononane (TCMT). Crystal structure of [Y(TCMT)$(CF_3SO_3)_2(H_2O)$](CF_3SO_3) S. Amin, C. Marks, L.M. Toomey, M.R. Churchill, J.R. Morrow (Buffalo, NY, USA) 99	
Structures of the multireceptor vaulted cyclidene complexes N.W. Alcock (Coventry, UK), D.H. Busch, P.J. Chmielewski, B.K. Coltrain, T.J. Meade (Lawrence, USA)... 109	
The crystal structure of a macrocycle containing pyridine and piperazine subunits, and of a Cu(I) complex of its diprotonated cation F.R. Fronczek, P.J. Schilling, S.F. Watkins, V.K. Majestic, G.R. Newkome (Baton Rouge, LA, USA)..... 119	
Binuclear metal assemblies inside an oxa-aza macrocyclic receptor C. Bazzicalupi, A. Bencini, A. Bianchi, C. Giorgi (Florence, Italy), V. Fusi (Urbino, Italy), P. Paoletti, B. Valtancoli (Florence, Italy) 125	

Metal complexes of a calix[4]arene diamide: syntheses, crystal structures and molecular mechanics calculations on [Fe(L^1–2H)][$FeCl_4$] and [Er(L^1–2H)(picrate)] (L^1 = 5,11,17,23-tetra-*tert*-butyl-25,27-bis(diethylcarbamoylmethoxy)calix[4]arene)
P.D. Beer (Oxford, UK), M.G.B. Drew, P.B. Leeson (Reading, UK), M.I. Ogden (Oxford, UK) 133



Transition metal cation and phosphate anion electrochemical recognition in water by new polyaza ferrocene macrocyclic ligands
P.D. Beer, Z. Chen (Oxford, UK), M.G.B. Drew (Reading, UK), A.O.M. Johnson, D.K. Smith, P. Spencer (Oxford, UK) 143



A new cyclam with a triphenylphosphine-pendant and its metal complexes
E. Kimura, Y. Kodama, M. Shionoya, T. Koike (Hiroshima, Japan)..... 151



Study of protonation of 1,4,7-tris(2-hydroxyethyl)-1,4,7-triazacyclononane, and its complexes with metal ions, by crystallography, polarography, potentiometry, molecular mechanics and NMR
R. Luckay, R.D. Hancock, I. Cukrowski (Johannesburg, South Africa), J.H. Reibenspies (College Station, TX, USA) 159



Tetra- and pentamanganese(II) macrocyclic complexes with bridging carboxylate groups: product control by pretreatment of manganese acetate solutions
S. Brooker (Christchurch, New Zealand), V. McKee (Belfast, UK), T. Metcalfe (Christchurch, New Zealand; Belfast, UK)..... 171



The uranyl unit as electrophilic catalyst of acyl transfer reactions
V. van Axel Castelli, R. Cacciapaglia (Rome, Italy), G. Chiosis, F.C.J.M. van Veggel (Enschede, The Netherlands), L. Mandolini (Rome, Italy), D.N. Reinhoudt (Enschede, The Netherlands) 181



Photophysical properties of lanthanide dinuclear complexes with *p*-nitro-calix[8]arene
J.-C.G. Bünzli, F. Ihringer (Lausanne, Switzerland) 195



Tetranuclear Ag(I) complexes with an octagonal Ag_4S_4 core: building large structures from small macrocycles
H.A. Jenkins, S.J. Loeb, A. Malats i. Riera (Windsor, Canada)..... 207



Synthesis and complexation of macrocycles containing two pyrazolone sub-units
C. Marzin, M. Naji, C. Coquelet, G. Tarrago (Montpellier, France)..... 217



An NMR spectroscopic study of the binding of alkali metal cations and methanol by *cis*-$Mo(CO)_4\{Ph_2P(CH_2CH_2O)_n CH_2CH_2PPh_2$-P,P′} ($n$ = 4, 5) metallacrown ethers. The X-ray crystal structures of *cis*-$Mo(CO)_4\{Ph_2P(CH_2CH_2O)_4 CH_2CH_2PPh_2$-P,P′}•MeOH and *cis*-$Mo(CO)_4\{Ph_2P (CH_2CH_2)_4CH_2CH_2PPh_2$-P,P′}·$H_2O$
G.M. Gray, F.P. Fish, C.H. Duffey (Birmingham, AL, USA) 229



Axial ligand effects on redox properties of a strongly-coupled bis-macrocyclic diiron compound
J. Zhou, A. Li (Stockton, CA, USA), C. Lange (Berkeley, CA, USA), C.B. Allan (Stockton, CA, USA), L.O. Spreer (Stockton, CA, USA), J.W. Otvos, M. Calvin (Berkeley, CA, USA)..... 241



Strong cooperative protonation and copper(II)-assisted hydrolysis of the novel X-ray characterized polyoxamide cryptand 1,4,7,10,13,16,21,24-octaaza-bicyclo[8.8.8] hexacosan-5,6,14,15,22,23-hexone
J.C. Colin (Orsay, France), T. Mallah (Paris, France), Y. Journaux (Orsay, France), M. Mollar, F. LLoret, M. Julve (València, Spain), K. Boubekeur (Orsay, France) 249



Complexes of *p*-tert-butylcalix[4]arene with mono- and dipositive cations in the gas phase
P.S.H. Wong, X.J. Yu, D.V. Dearden (Arlington, TX, USA). 259



Kinetics and mechanism of incorporation of nickel(II) into N_4 macrocycles of the cyclam type: how many steps and intermediates are involved?
R. Sanzenbacher, H. Elias (Darmstadt, Germany)..... 267



Complexation of the *p*-t-butyl-calix[4]arene anion with alkali metal cations in polar, non-aqueous solvents: experimental and theoretical studies
R. Abidi, M.V. Baker, J.M. Harrowfield, D.S.-C. Ho, W.R. Richmond, B.W. Skelton, A.H. White (Nedlands, Australia), A. Varnek, G. Wipff (Strasbourg, France)..... 275



Synthesis and protonation behaviour of the macrocycle 2,6,10,13,17,21-hexaaza[22]metacyclophane. Thermodynamic and NMR studies on the interaction of 2,6,10,13,17,21-hexaaza[22]metacyclophane and on the open-chain polyamine 4,8,11,15-tetraazaoctadecane-1,18-diamine with ATP, ADP and AMP
J.A. Aguilar, E. García-España, J.A. Guerrero (Valencia, Spain), S.V. Luis (Castellón, Spain), J.M. Llinares, J.A. Ramírez , C. Soriano (Valencia, Spain)..... 287



The reduction of carbon dioxide employing 1,4,7,10-tetramethyl-1,4,7,10 tetraazacyclododecane nickel(II) as a electron relay catalyst
E. Mejeritskaia, F. Luo, C.A. Kelly, B. Koch, E.M. Gundlach, E.L. Blinn (Bowling Green, OH, USA) 295



Helical hexaazamacrocyclic ligands containing pyridyl and (+ or −)-*trans*-diaminocyclohexyl groups: effect of ligand constraints upon metal ion binding
P.M. Fitzsimmons (Winston-Salem, NC, USA), S.C. Jackels (Seattle, WA, USA) 301



Electron spin resonance and electrospray ionization mass spectroscopic studies of the interaction of alkali and alkaline earth cations with manganese bis(μ-oxo) dimers
C.P. Horwitz (Pittsburgh, PA, USA), J.T. Warden (Troy, NY, USA), Susan T. Weintraub (San Antonio, TX, USA)..... 311



Structural requirements for rapid metal ion ingress into hydroxyethylated tetraaza macrocycles
J.C.A. Boeyens, L. Cook (Johannesburg, South Africa), P.A. Duckworth, S.B. Rahardjo, M.R. Taylor, K.P. Wainwright (Adelaide, Australia) 321



^{7}Li, ^{6}Li, ^{23}Na and ^{133}Cs multinuclear NMR studies of adducts formed with shift reagent, TmDOTP[5]
J. Ren (Richardson, TX, USA), A.D. Sherry (Richardson; Dallas, TX, USA) 331



Macrocycles with a single pendant arm: synthesis of *N*-R-(1,4,7-triazacyclononane) [L, R = 4-but-1-ene; L′, R = 3-prop-1-ene]: Synthesis of the Cu^{I} complex [CuL]I and synthesis and crystal structure of the Cu^{II} complex $[CuL_2][BPh_4]_2$ and the μ-hydroxy bridged Cu^{II} dimer $[LCu(\mu\text{-}OH)_2CuL][BPh_4]_2$
L.J. Farrugia, P.A. Lovatt, R.D. Peacock (Glasgow, UK) 343



Novel geometries exhibited by three palladium(II) macrocyclic complexes: crystal and solution structures
B. Chak, A. McAuley (Victoria, Canada), T.W. Whitcombe (Prince George, Canada)..... 349



Electrochemistry and spectroscopy of magnesium octaethyltetraazaporphyrin and magnesium octakis(methylthio)tetraazaporphyrin
E.A. Ough, K.A.M. Creber (Kingston, Canada), M.J. Stillman (London, Canada)..... 361



The interaction of transition and post-transition metal ions with 14- and 16-membered *trans* N_2X_2-donor macrocycles (X = NH, O, S): stabilities and X-ray structures
A.J. Leong, L.F. Lindoy (Townsville, Australia), D.C.R. Hockless, G.F. Swiegers, S.B. Wild (Canberra, Australia)..... 371



Schiff–base template synthesis of tetra-aza macrocycles involving diethylmalonate as a padlock
L. Fabbrizzi, M. Licchelli, A. Poggi, O. Vassalli, L. Ungaretti, N. Sardone (Pavia, Italy) 379



A structural and magnetochemical study of some copper(II) complexes containing the ligands 1,4,7-triazacyclononane-*N*-acetate (L^1) and *N*-(2-hydroxybenzyl)-1,4,7-triazacyclononane (HL^2)
D. Schulz, T. Weyhermüller, K. Wieghardt (Mülheim an der Ruhr, Germany), C. Butzlaff, A.X. Trautwein (Lübeck, Germany)..... 387



The reaction of acetone with $[Cu(en)_2]^{2+}$: the crystal structure of the copper(II)-β-aminoketone complex initially formed and the kinetics of its base-catalysed conversion to the copper(II) complex of *trans*[14]dieneN$_4$
R.W. Hay, A. Danby, S. Miller, P. Lightfoot (St Andrews, UK)..... 395



Solution ^{1}H NMR and X-ray crystal structures of Ca^{2+}, Zn^{2+} and Cd^{2+} complexes with 12- and 13-membered macrocycles, dioxotetraazacycloalkanediacetic acids
M.B. Inoue (Tucson, AZ, USA; Sonora, Mexico), P. Oram (Tucson, AZ, USA), M. Inoue (Sonora, Mexico), Q. Fernando (Tucson, AZ, USA)..... 401



Two novel types of metal complexes derived from tripod amines and acetylacetone
T. Sato, H. Takeda, K. Sakai, T. Tsubomura (Tokyo, Japan). 413



Crystal structure and solution dynamics of the lutetium(III) chelate of DOTA
S. Aime, Alessandro Barge, Mauro Botta, Mauro Fasano (Torino, Italy), J. Danilo Ayala, Gabriella Bombieri (Milan, Italy) 423



Author index 431

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher on request.